

- 1629 Alarie, Y., Michat, M.C., Archangelsky, M. & Barber-James, H.M. (2007). Larval morphology of *Liodessus* Guignot, 1939: generic characteristics, description of five species and comparisons with other members of the tribe Bidessini (Coleoptera: Dytiscidae: Hydroporinae). *Zootaxa* 1516: 1-12.
- 1630 Ajuonu, O., Byrne, M., Hill, M., Neuenschwander, P. & Korie, S. (2007). Survival of the mired *Eccritotarsus catarinensis* as influenced by *Neochetina eichhorniae* and *Neochetina bruchi* feeding scars on leaves of water hyacinth *Eichhornia crassipes*. *Biological Control* 52: 193-205.
- 1631 Baars, J-R., Hill, M.P., Heystek, F., Naser, S. & Urban, A.J. (2007). Biology, oviposition preference and impact in quarantine of petiole-galling weevil, *Coelocephalopion camarae* Kissinger, a promising candidate agent for biological control of *Lantana camara*. *Biological Control* 40: 187-195.
- 1632 Barber-James, H.M. (2007). Freshwater invertebrate fauna of the Tristan da Cunha islands (South Atlantic Ocean), with new records for Inaccessible and Nightingale Islands. *Transactions of the Royal Society of South Africa* 62 (1): 24-36.
- 1633 Bernard, A.T.F., Ansorge, I.J., Froneman, P.W., Lutjeharms, J.R.E., Bernard, K.S. & Swart, N.C. (2007). Entrainment of Antarctic euphausiids across the Antarctic Polar Front by a cold eddy. *Deep-Sea Research I* 54: 1841-1851.
- 1634 Bissett, C. & Bernard, R.T.F. (2007). Habitat selection and feeding ecology of the cheetah (*Acinonyx jubatus*) in thicket vegetation: is the cheetah a savanna specialist? *Journal of Zoology* 271: 310-317.
- 1635 Bills, R., Villet, M. & Jones, N. (2007). Morphological variation in Orange River yellowfishes. In: *Multidisciplinary investigation of differentiation and potential hybridization between two yellowfish species Labeobarbus kimberleyensis and L. aeneus from the Orange-Vaal system*. Yellowfish Working Group, South Africa. pp. 18-42.
- 1636 Brown, C.R. & Peinke, D.M. (2007). Activity patterns of springhares from the Eastern Cape Province, South Africa. *Journal of Zoology* 272: 148-155.
- 1637 Chawanji, A.S., Hodgson, A.N., Villet, M.H., Sanborn, A.F. & Phillips, P.K. (2007). Spermiogenesis in three species of cicadas (Hemiptera: Cicadidae). *Acta Zoologica (Stockholm)* 88: 337-348.
- 1638 Coetzee, J.A., Byrne, M.J. & Hill, M.P. (2007). Predicting the distribution of *Eccritotarsus catarinensis*, a natural enemy released on water hyacinth in South Africa. *Entomologia Experimentalis et Applicata* 125: 237-247.

- 1639 Coetzee, J.A., Byrne, M.J. & Hill, M.P. (2007). Impact of nutrients and herbivory by *Eccritotarsus catarinensis* on the biological control of water hyacinth, *Eichhornia crassipes*. *Aquatic Botany* 86: 179-186.
- 1640 Czypionka, K. & Hill, M.P. (2007). The relationship between female pupal mass and fecundity of *Gratiana spadicea* (Klug, 1829) (Coleoptera: Chrysomelidae). *African Entomology* 15 (2): 380-382.
- 1641 De la Rúa, P., Radloff, S., Hepburn, H.R. & Serrano, J. (2007). Do molecular markers support morphometric and pheromone analyses? A preliminary case study in *Apis mellifera* populations of Morocco. *Archivos de Zootecnia* 56 (213): 33-42.
- 1642 Dietemann, V., Neumann, P., Hartel, S., Pirk, C.W.W. & Crewe, R.M. (2007). Pheromonal dominance and the selection of a socially parasitic honeybee worker lineage (*Apis mellifera capensis* Esch.). *European Society for Evolutionary Biology* 20: 997-1007.
- 1643 Froneman, P.W., Ansorge, I.J., Richoux, N., Blake, J., Daly, R., Sterley, J., Mostert, B., Heyns, E., Sheppard, J., Kuiper, B., Hart, N., George, C., Howard, J., Mustafa, E., Pey, F. & Lutjeharms, J.R.E. (2007). Physical and biological processes at the Subtropical Convergence in the South-west Indian Ocean. *South African Journal of Science* 103: 193-195.
- 1644 Froneman, W. (2007). Zooplankton. In: *A review of information on temporarily open/closed estuaries in the warm and cold temperate biogeographic regions of South Africa, with particular emphasis on the influence of river flow on these systems*. Eds. A. Whitfield & G. Bate, Water Research Commission, South Africa. pp. 114-120.
- 1645 Froneman, P.W. & Vumazonke, L. (2007). Hyperbenthos. In: *A review of information on temporarily open/closed estuaries in the warm and cold temperate biogeographic regions of South Africa, with particular emphasis on the influence of river flow on these systems*. Eds. A. Whitfield & G. Bate, Water Research Commission, South Africa. pp. 131-136.
- 1646 Hayward, M.W., Adendorff, J., O'Brien, J., Sholto-Douglas, A., Bissett, C., Moolman, L.C., Bean, P., Fogarty, A., Howarth, D. & Kerley, G.I.H. (2007). Practical considerations for the reintroduction of large, terrestrial, mammalian predators based on reintroductions to South Africa's Eastern Cape Province. *The Open Conservation Biology Journal* 1: 1-11.
- 1647 Hodgson, A.N., Le Quesne, W.J.F., Hawkins, S.J. & Bishop, J.D.D. (2007). Factors effecting fertilization success in two species of patellid limpet (Mollusca: Gastropoda) and development of fertilization kinetics models. *Marine Biology* 150: 415-426.

- 1648 Hepburn, H. & Hepburn, C. (2007). Bibliography of the giant honeybees, *Apis dorsata* Fabricius (1793) and *Apis laboriosa* F. Smith (1871). *Apidologie* 38: 219-220.
- 1649 Hepburn, H.R., Muerrle, T. & Radloff, S.E. (2007). The cell bases of honeybee combs. *Apidologie* 38: 268-271.
- 1650 Hulley, P.E. & Craig, A.J.F.K. (2007). The status of Southern Ground-Hornbill in the Grahamstown region, Eastern Cape, South Africa. *Ostrich* 78 (1): 89-92.
- 1651 Jadhav, A., King, A., Brudvig, R., Hill, M.P. & Byrne, M. (2007). Integrated weed control using a retardant does of glyphosate: A new management tool for water hyacinth? *Outlooks on Pest Management* October: 213-216.
- 1652 Kirk-Spriggs, A.H. (2007). Description of the biology and immature stages of *Eutropha lindneri* Sabrosky (Diptera: Chloropidae: Chloropinae), based on survey material from the Namibian coast. *African Entomology* 15 (2): 319-327.
- 1653 Kirk-Spriggs, A.H. & Freidberg, A. (2007). The Palaearctic species of Curtonotidae (Diptera: Schizophora), with special reference to the fauna of Israel. *Bulletin de L'Institut Royal Des Sciences Naturelles de Belgique* 77: 133-146.
- 1654 Kirk-Spriggs, A.H. (2007). Description of the biology and immature stages of *Eutropha lindneri* Sabrosky (Diptera: Chloropidae: Chloropinae), based on survey material from the Namibian coast. *African Entomology* 152 (2): 319-327.
- 1655 Lombard, A.T., Reyers, B., Schonegevel, L.Y., Cooper, J., Smith-Adao, L.B., Nel, D.C., Froneman, P.W., Ansorge, I.J., Bester, M.N., Tosh, C.A., Strauss, T., Akkers, T., Gon, O., Leslie, R.W. & Chown, S.L. (2007). Conserving pattern and process in the Southern Ocean: designing a Marine Protected Area for the Prince Edward Islands. *Antarctic Science* 19 (1): 39-54.
- 1656 Mafokoane, L.D., Zimmerman, H.G. & Hill, M.P. (2007). Development of *Cactoblastis cactorum* (Berg) (Lepidoptera: Pyralidae) on six North American *Opuntia* species. *African Entomology* 15 (2): 295-299.
- 1657 McQuaid, C.D. & Lindsay, T.L. (2007). Wave exposure effects on population structure and recruitment in the mussel *Perna perna* suggest regulation primarily through availability of recruits and food, not space. *Marine Biology* 151: 2123-2131.
- 1658 Muerrle, T.M., Hepburn, H.R. & Radloff, S.E. (2007). Experimental determination of drone congregation areas for *Apis mellifera capensis* Esch. *Journal of Apicultural Research and Bee World* 46 (3): 154-159.

- 1659 Naran, D., Skelton, P.H. & Villet, M.H. (2007). Karyology of three evolutionary hexaploid southern African species of yellowfish, *Labeobarbus* Rüppel, 1836 (Cyprinidae). *African Zoology* 42 (2): 254-260.
- 1660 Nicastro, K.R., Zardi, G.I. & McQuaid, C.D. (2007). Behavioural response of invasive *Mytilus galloprovincialis* and indigenous *Perna perna* mussels exposed to risk of predation. *Marine Ecology Progress Series* 366: 169-175.
- 1661 Oberholzer, I.G., Mafokoane, D.L. & Hill, M.P. (2007). The biology and laboratory host range of the weevil, *Listronotus marginicollis* (Hustache) (Coleoptera: Curculionidae), a natural enemy of the invasive aquatic weed, parrot's feather, *Myriophyllum aquaticum* (Velloso) Verde (Haloragaceae). *African Entomology* 15 (2): 385-390.
- 1662 Pal, P. (2007). Fine structure of reproductive glands in two primitive marine pulmonates (Basommatophora: Siphonariidae). *Acta Zoologica (Stockholm)* 88: 145-152.
- 1663 Parker, D.M., Bernard, R.T.F. (2006). A comparison of two diet analysis techniques for a browsing Megaherbivore. *Journal of Wildlife Management* 70 (5): 1477-1480.
- 1664 Pirk, C.W.W., Neumann, P. & Hepburn, R. (2007). Nestmate recognition for eggs in the honeybee *Apis mellifera* L.). *Behavioral Ecology and Sociobiology* 61: 1685-1693.
- 1665 Porri, F., McQuaid, C.D. & Froneman, W.P. (2007). Spatio-temporal variability of small copepods (especially *Oithona plumifera*) in shallow nearshore waters off the south coast of South Africa. *Estuarine, Coastal and Shelf Science* 72: 711-720.
- 1666 Porri, P., Zardi, G.I., McQuaid, C.D. & Radloff, S. (2007). Tidal height, rather than habitat selection for conspecifics, controls settlement in mussels. *Marine Biology* 152: 631-637.
- 1667 Price, B.W., Barker, N.P. & Villet, M.H. (2007). Patterns and processes underlying evolutionary significant units in the *Platypleura stridula* L. species complex (Hemiptera: Cicadidae) in the Cape Floristic Region, South Africa. *Molecular Ecology* 16: 2574-2588.
- 1668 Richoux, N.B. & Froneman, P.W. (2007). Assessment of spatial variation in carbon utilization by benthic and pelagic invertebrates in a temperate South African estuary using stable isotope signatures. *Estuarine Coastal and Shelf Science* 71: 545-558.

- 1669 Rivers-Moore, N.A., de Moor, F.C., Morris, C. & O'Keeffe, J.O. (2007). Effect of flow variability modification and hydraulics on invertebrate communities in the Great Fish River (Eastern Cape Province, South Africa), with particular reference to critical hydraulic thresholds limiting larval densities of *Simulium chutteri* Lewis (Diptera, Simuliidae). *River Research and Applications* 23: 201-222.
- 1670 Tan, K., Gui, Y.H., Nicolson, S.W., Radloff, S.E., Song, Q.S. & Hepburn, H.R. (2007). Honeybee (*Apis cerana*) foraging responses to the toxic honey of *Tripterygium hypoglaucum* (Celastraceae): changing threshold of nectar acceptability. *Journal of Chemical Ecology* 33: 2209-2217.
- 1671 Tan, K., Radloff, S.E., Hepburn, H.R., Yang, M., Zhang, L. & Fan, X. (2007). Environmentally-induced development effects on morphometric characters of workers in *Apis cerana* colonies. *Apidologie* 38: 289-295.
- 1672 Tan, K., Radloff, S.E., Li, J.J., Hepburn, H.R., Yang, M.X., Zhang, L.J. & Neumann, P. (2007). Bee-hawking by the wasp, *Vespa velutina*, on the honeybees *Apis cerana* and *A. mellifera*. *Naturwissenschaften* 94: 469-472.
- 1673 Teske, P.R., Lockyear, J.F., Hecht, T. & Kaiser, H. (2007). Does the endangered Knysna seahorse, *Hippocampus capensis*, have a preference for aquatic vegetation type, cover or height? *African Zoology* 42 (1): 23-30.
- 1674 Teske, P.R., Papadopoulos, I., McQuaid, C.D., Newman, B.K. & Barker, N.P. (2007). Climate change, genetics or human choice: why were the shells of mankind's earliest ornament larger in the Pleistocene than in the Holocene? *Plos One* 7:1-5.
- 1675 Teske, P.R., Froneman, P.W., Barker, N.P. & McQuaid, C.D. (2007). Phylogeographic structure of the caridean shrimp *Palaemon peringueyi* in South Africa: further evidence for intraspecific genetic units associated with marine biogeographic provinces. *African Journal of Marine Science* 29(2): 253-258.
- 1676 Teske, P.R., Barker, N.P. & McQuaid, C.D. (2007). Lack of genetic differentiation among four sympatric southeast African intertidal limpets (Siphonariidae): Phenotypic plasticity in a single species? *Journal of Molluscan Studies* 73: 223-228.
- 1677 Teske, P.R., Papadopoulos, I., Zardi, G.I., McQuaid, C.D., Edkins, M.T., Griffiths, C.L. & Barker, N.P. (2007). Implications of life history for genetic structure and migration rates of southern African coastal invertebrates: planktonic, abbreviated and direct development. *Marine Biology* 152: 697-711.
- 1678 van Wyk, A.W.W., Froneman, P.W., Bernard, K.S. & Davies-Coleman, M.T. (2007). New isocopalane diterpene diast from a sub-Antarctic marine nudibranch. *Arkivoc* 9: 121-128.

- 1679 Villet, M.H. (2007). An inexpensive geometrical micrometer for measuring small, live insects quickly without harming them. *Entomologia Experimentalis et Applicata* 122: 279-280.
- 1680 Vorwerk, P.D., Froneman, P.W. & Paterson, A.W. (2007). Recovery of the critically endangered river pipefish, *Syngnathus watermeyeri*, in the Kariega Estuary, Eastern Cape province. *South African Journal of Science* 103: 199-201.
- 1681 Vorwerk, P., Jennings, M. & Froneman, W. (2007). Estuarine/marine interactions. In: *A review of information on temporarily open/closed estuaries in the warm and cold temperate biogeographic regions of South Africa, with particular emphasis on the influence of river flow on these systems*. Eds. A. Whitfield & G. Bate, Water Research Commission, South Africa. pp. 183-191.
- 1682 Ward, L., Brown, M., Neumann, P., Wilkins, S., Pettis, J. & Boonham, N. (2007). A DNA method for screening hive debris for the presence of small hive beetle (*Aethina tumida*). *Apidologie* 38: 272-280.
- 1683 Wilson, J.R.U., Ajuonu, O., Center, T.D., Hill, M.P., Julien, M.H., Katagira, F.F., Neuenschwander, P., Njoka, S.W., Ogwang, J., Reeder, R.H. & Van, T. (2007). The decline of water hyacinth on Lake Victoria was due to biological control by *Neochetina* spp. *Aquatic Botany* 87: 90-93.
- 1684 Winch, J.J.W.W. & Hodgson, A.N. (2007). The effect of temperature and salinity on oxygen consumption in the brachyuran crab *Cyclograpsus punctatus* (Crustacea: Decapoda: Grapsidae). *African Zoology* 42 (1): 118-123.
- 1685 Zardi, G.I., McQuaid, C.D. & Nicastro, K.R. (2007). Balancing survival and reproduction: seasonality of wave action, attachment strength and reproductive output in indigenous *Perna perna* and invasive *Mytilus galloprovincialis* mussels. *Marine Ecology Progress Series* 334: 155-163.
- 1686 Zardi, G.I., McQuaid, C.D., Teske, P.R. & Barker, N.P. (2007). Unexpected genetic structure of mussel populations in South Africa: indigenous *Perna perna* and invasive *Mytilus galloprovincialis*. *Marine Ecology Progress Series* 337: 135-144.